

Univ.-Prof. Dr. med. Oec. med. Marius Nickel
FA für Psychiatrie und Psychotherapie
FA für Psychosomatische Medizin
Psychoanalytiker (DGPT)
Sozialmedizin

Wissenschaftliche Originalveröffentlichungen (ISI gelistet),

Impact Factor 165,132

Erstautorenschaften

1. Nickel M, Nickel C, Mitterlehner F, Tritt K, Lahmann C, Leiberich P, Rother W, Loew T. Topiramate treatment of aggression in female Borderline Personality Disorder Patients: A double-blind, placebo-controlled study.
J Clin Psychiatry 2004;65:1515-1519. **IF 4.735**
2. Nickel M, Nickel C, Leiberich P, Mitterlehner F, Forthuber P, Tritt K, Lahmann C, Rother W, Loew T. Sexual abuse in childhood and youth as psychopathologically relevant life occurrence: A cross sectional survey in a random sample.
Croat Med J 2004;45:483-489. **IF 0.943**
3. Nickel M, Nickel C, Mitterlehner F, Rother W, Summ A, Leiberich P, Tritt K, Loew T, Jurasczyk P. Student opinion on psychosomatic education in Germany.
Med Educ 2004;38:1016. **IF 1.88**
4. Nickel M, Nickel C, Kaplan P, Lahmann C, Mühlbacher M, Tritt K, Krawczyk J, Leiberich PK, Rother W, Thomas HL. Treatment of aggression with topiramate in male borderline patients: a double-blind, placebo-controlled study.
Biol Psychiatry 2005;57:495-499. **IF 6.039**
5. Nickel MK, Nickel C, Muehlbacher M, Leiberich PK, Kaplan P, Lahmann C, Tritt K, Krawczyk J, Kettler C, Rother W, Loew TH. Influence of topiramate on olanzapine-related adiposity: a random, double-blind, placebo-controlled study.
J Clin Psychopharmacol 2005;25:211-217. **IF 4.013**
6. Nickel MK, Krawczyk J, Nickel C, Forthuber P, Kettler C, Leiberich P, Muehlbacher M, Tritt K, Mitterlehner FO, Lahmann C, Rother W, Loew TH. Anger, interpersonal

relationships, and health-related quality of life in bullying boys treated with outpatient family therapy: a randomized, prospective, controlled trial with one year follow-up.

Pediatrics 2005;116:e247-254. **IF 3.781**

7. Nickel M, Nickel C, Tritt K, Leiberich P, Mitterlehner F, Lahmann C, Rother W, Loew T. In-Patient Treatment of Mothers With Depressive Disorders – Does Joint Admission of Their Children Have a Negative Effect on The Results of Treatment?: a Randomized, Prospective, Controlled Trial.
Psychother Psychosom 2005;47:167-171. **IF 4.966**
8. Nickel M, Nickel C, Leiberich P, Mitterlehner F, Tritt K, Lahmann C, Rother W, Loew T. Aggressive female youth benefit from outpatient family therapy: A random prospective controlled trial.
Pediatr Int 2005;47:167-171. **IF 0.467**
9. Nickel M, Leiberich P, Nickel C, Mitterlehner F, Tritt K, Lahmann C, Rother W, Loew T. Change of self-efficacy after treatment of depressive symptoms in female senior patients: A double-blind, placebo-controlled trial.
Aging Clin Exp Res 2005;17:293-296. **IF 1.420**
10. Nickel M, Nickel C, Leiberich P, Mitterlehner F, Tritt K, Lahmann C, Rother W, Loew T. Recovering the ability to function socially in elderly depressed patients: a prospective, controlled trial: A randomized, controlled trial.
Arch Gerontol Geriatr 2005;41:41-49. **IF 0.457**
11. Nickel M, Lahmann C, Muehlbacher M, Nickel C, Pedrosa Gil F, Buschmann W, Leiberich P, Fartacek R, Tritt K, Mitterlehner F, Kettler C, Egger C, Rother W, Loew T. Change in Instrumental Activities of Daily Living disability after integrative psychotherapeutic treatment of depressive symptoms in female senior patients with musculoskeletal pain: a prospective, randomized, controlled trial.
Arch Gerontol Geriatr 2006;42:247-255. **IF 0.457**
12. Nickel M, Luley J, Krawczyk J, Nickel C, Widermann C, Lahmann C, Muehlbacher M, Forthuber P, Kettler C, Leiberich P, Tritt K, Mitterlehner F, Kaplan P, Rother W, Loew T. Bullying girls – changes after brief strategic family therapy: a randomized, prospective, controlled trial with one year follow-up.
Psychother Psychosom 2006;75:47-55. **IF 4.966**
13. Nickel M, Muehlbacher M, Nickel C, Kaplan P, Buschmann W, Krawczyk J, Kettler C, Rother W, Loew T. Influence of family therapy on bullying behaviour, cortisol secretion, anger, and quality of life in bullying male adolescents: a randomized,

prospective, controlled study.

Can J Psychiatry 2006;51:355-362. **IF 2.177**

14. Nickel M, Simek M, Fartacek R, Nickel C, Muehlbacher M, Lahmann C, Bachler E, Egger C, Kaplan P, Kettlet C, Buschmann W, Tritt K, Leiberich P, Rother W, Loew T. Familial and sociopsychopathological factors for suicide attempts between bulimic and depressed women: a prospective study. Int J Eat Disord 2006; 39:410-417. **IF 1.892**
15. Nickel M, Muehlbacher M, Nickel C, Kettler C, Pedrosa Gil F, Bachler E, Buschmann W, Rother N, Fartacek R, C Egger, Anvar J, Rother W, Loew T, Kaplan P. Aripiprazole in treatment of borderline patients: a double-blind, placebo-controlled study. Am J Psychiatry 2006;163:833-838. **IF 7.614**
16. Nickel M, Moleda D, Loew T, Rother W. Cabergoline treatment in men with psychogenic erectile dysfunction: a randomized, double-blind, placebo-controlled study. Int J Impotence Res 2006;19:104-107. **IF 1.987**
17. Nickel M, Cangoez B, Bachler E, Muehlbacher M, Lojewski N, Mueller-Rabe N, Mitterlehner F, Egger C, Leiberich P, Rother N, Buschmann W, Kettler C, Pedrosa Gil F, MD, Lahmann C, Egger C, Fartacek R, Rother W, Loew T, Nickel C. Bioenergetic exercises in inpatient treatment of Turkish immigrants with chronic somatoform disorders: a randomized, controlled study. J Psychosom Res 2006;61:507-513. **IF 2.332**
18. Nickel M, Moleda A, Simek M, Muehlbacher M, Buschmann W, Fartacek R, Egger C, Buschmann W, Rother W, Loew T, Nickel C. Suicide attempts versus suicidal ideation in bulimic female adolescents. Pediatr Int 2006;48:374-381. **IF 0.467**
19. Nickel M, Loew T, Bachler E. Change in mental symptoms in extreme obesity patients after gastric banding, part II: six-year follow-up. Int J Psychiatry Med 2008 **IF 0.714**
20. Nickel M. Behandlung mit Topiramat: psychotische Symptomatik in Zusammenhang mit fieberhaftem Infekt. Neuropsychiatrie 2007;21:59-61. **IF 1.414**

21. Nickel M, Loew T, Wagner P, Pedrosa Gil F. Aripiprazole in treatment of borderline patients, part II: an 18-months follow-up.
Psychopharmacol 2007;191:1023-1026. **IF 3.625**
22. Nickel M. Topiramate treatment of aggression in male borderline patients.
Aust N Z J Psychiatry 2007;41:461-462 **IF 1.900**
23. Nickel M. Topiramate reduced aggression in female patients with borderline personality disorder.
Eur Arch Psychiatry Clin Neurosci 2007;27:940. **IF 2.26**
24. Nickel M. Behavioural/psycho-educational group training in therapy for overtaxed men.
J Psychosom Res 2007;62:597 **IF 2.322**
25. Nickel M. Aripiprazole treatment of patients with borderline personality disorder.
J Clin Psychiatry 2007;68:1815-1816 **IF 5.04**
26. Nickel M, Mühlbacher M, Egger C, Buschmann W, Rother N, Rother W, Kaplan B, Loew T, Kettler C, Krawczyk J, Nickel C. Influence of Family Therapy on Bullying Behavior, Cortisol Secretion, Anger, and Quality of Life in Prospective, Controlled Study.
Psychother Psych Med 2007;57:97. **IF 1.143**
27. Nickel M. Familientherapie bei Bullying.
Psychother Psych Med 2007;57:96. **IF 1.143**
28. Nickel M, Egger C, Canguez B, Bachler E, Mühlbacher M, Buschmann W, Lojewski N, Mueller-Rabe N, Mitterlehner F, Leiberich P, Rother N, Kettler C, Gil FP, Lahmann C, Fartacek R, Rother W, Loew T, Nickel C. Bioenergetic Exercises in stationärer Behandlung von türkischen Immigranten mit chronischen Somatisierungsstörungen: eine randomisierte, kontrollierte Studie.
Psychother Psych Med 2007;57:97. **IF 1.143**
29. Nickel M, Egger C, Luley J, Krawczyk J, Nickel C, Widermann C, Lahmann C, Mühlbacher M, Buschmann W, Forthuber P, Kettler C, Leiberich P, Tritt K, Mitterlehner F, Kaplan P, Gil FP, Rother W, Loew T. Bullyin Girls – Changes after Brief Strategic Family Therapy.
Psychother Psych Med 2007;57:97. **IF 1.143**
30. Nickel M, Egger C, Mühlbacher, Buschmann W, Krawczyk J, Nickel C, Forthuber P, Kettler C, Rother W, Leiberich P, Tritt K, Lahmann C, Mitterlehner F, Loew T . Anger, Interpersonal Relationships, and Health-Related Quality of Life in Bullying Boys who

are Treated with Outpatient Family Therapy: A Randomized, Prospective, Controlled Trial with 1 Year of Follow-up.

Psychother Psych Med 2007;57:97-98. IF 1.143

31. Nickel M, Egger C, Mühlbacher, Buschmann W, Nickel C, Mitterlehner F, Rother W, Forthuber P, Tritt K, Leiberich P, Lahmann C, Loew T . Sexual Abuse in Childhood and Youths as Psychopathologically Relevant Life Occurrence: Cross-sectional Survey.

Psychother Psych Med 2007;57:98. IF 1.143

32. Nickel M, Loew T. Treatment of aggression with topiramate in male borderline patients, part II: 18-month follow-up European Psychiatry.
Eur Psychiatry 2008;23:115-117. **IF 1.191**

33. Nickel M. Psychopharmakotherapie im Rahmen stationärer Psychosomatischen Behandlung.

Psychother Psych Med 2008;57:97-98. IF 1.143

Seniorautorenschaften

1. Nickel C, Tritt, K, Muehlbacher M, Pedrosa Gil F, Mitterlehner F, Kaplan P, Lahmann C, Leiberich P, Krawczyk J, Kettler C, Rother W, Loew T, Nickel M. Topiramate treatment in bulimia nervosa patients: a randomized controlled trial. *Int J Eat Disord* 2005;38:1-6. **IF 1.892**
2. Tritt K, Nickel C, Mitterlehner F, Lahmann C, Leiberich P, Rother W, Loew T, Nickel M. Lamotrigine treatment of aggression in female Borderline Personality Disorder Patients: A double-blind, placebo-controlled study. *J Psychopharmacol* 2005;19:287-291. **IF 2.642**
3. Nickel C, Lahmann C, Tritt K, Muehbacher M, Kaplan P, Kettler C, Krawczyk J, Loew T, Rother W, Nickel M. Topiramate in treatment of depressive and anger symptoms in female depressive patients: a randomized, double-blind, placebo-controlled study. *J Affect Disord* 2005;87:243-252. **IF 3.078**

4. Nickel C, Lahmann C, Tritt K, Loew T, Rother W, Nickel M. Stressed aggressive adolescents benefit from progressive muscle relaxation: a random, prospective, controlled trial.
Stress Health 2005;21:169-175. **IF 0.625**
5. Nickel C, Kettler C, Muehlbacher M, Fartacek R, Rother N, Bachler E, Egger C, Lahmann C, Tritt K, Rother W, Loew T, Nickel M. Effect of progressive muscle relaxation in adolescent female bronchial asthma patients: a randomized, controlled study.
J Psychosom Res 2005;59:393-398. **IF 2.019**
6. Nickel C, Tritt K, Kettler C, Lahmann C, Loew T, Nickel M. Motivation for therapy and results of inpatient treatment of patients with a generalized anxiety disorder.
Wien Klin Wschr 2005;117:359-363. **IF 0.646**
7. Nickel C, Kettler C, Muehlbacher M, Fartacek R, Rother N, Bachler E, Egger C, Lahmann C, Tritt K, Rother W, Loew T, Nickel M. Effect of progressive muscle relaxation in adolescent female bronchial asthma patients: a randomized, controlled study.
J Psychosom Res 2005;59:393-398. **IF 2.019**
8. Nickel C, Lahmann C, Tritt K, Loew T, Rother W, Nickel M. Stressed aggressive adolescents benefit from progressive muscle relaxation: a random, prospective, controlled trial.
Stress Health 2005;21:169-175. **IF 0.625**
9. Nickel C, Lojewski N, Muehlbacher M, Canguez B, Mueller-Rabe T, Buschmann W, Mitterlehner F, Lahmann C, Egger C, Kettler C, Tritt K, Fartacek R, Leiberich P, Rother W, Loew T, Nickel M. Behandlungsergebnisse stationärer psychosomatischer Rehabilitation bei türkischen Migranten: eine prospektive Studie.
Gesundheitswesen 2006;68:147-153. **IF 0.518**
10. Nickel C, Lahmann C, Muehlbacher M, Pedrosa Gil F, Kaplan P, Buschmann W, Tritt K, Kettler C, Egger C, Anvar J, Fratacek R, Rother W, Loew T, Nickel M. Pregnant women with bronchial asthma benefit from progressive muscle relaxation: a randomized, prospective, controlled study.
Psychother Psychosom 2006;75:237-243. **IF 4.966**
11. Nickel C, Muehlbacher M, Kettler C, Tritt K, Egger C, Lahmann C, Pedrosa Gil F, Leiberich P, Forthuber P, Rother W, Loew T, Nickel M. Motivation für Psychotherapie und das „Rentenbegehr“ bei Frauen mit depressiven Erkrankungen: eine

prospektive Studie.

Gesundheitswesen 2006;68:11-17. **IF 0.518**

12. Grepmair L, Mitterlehner F, Rother W, Nickel M. Promotion of mindfulness in psychotherapists in training and treatment results of their patients.
J Psychosom Res 2006;60:649-650. **IF 2.322**
13. Nickel C, Tanca S, Kolowos S, Pedrosa Gil F, Bachler E, Rother W, Loew T, Nickel M. Men with chronic occupational stress benefit from behavioural/psycho-educational group training: a randomized, prospective, controlled trial.
Psychol Med 2007;37:1141-1149. **IF 3.476**
14. Grepmair L, Mitterlehner F, Loew T, Bachler E, Rother W, Nickel M. Influence of promotion of mindfulness in psychotherapists in training on the treatment of their patients: a randomized, double-blind, controlled study.
Psychother Psychosom 2007;76:332-338. **IF 4.966**
15. Leiberich P, Loew T, Tritt K, Lahmann C, Nickel M. Body worlds exhibition – visitor attitudes and emotions.
Ann Anat 2006;188:567-573. **IF 0.427**
16. Pedrosa Gil F, Ridout N, Kessler H, Neuffer M, Schoechlin C, Traue H, Nickel M. Facial emotion recognition and alexithymia in adults with somatoform disorders.
Depress Anxiety 2007;21:S1091-S4269. **IF 1.721**
17. Pedrosa Gil F, Nickel M. Religiöse und spirituelle Einstellungen in Bezug auf Bindungstheoretische Aspekte bei Somatoformen Störungen.
Nervenheilkunde 2009 **IF 0.452**
18. Grepmair L, Mitterlehner F, Loew T, Nickel M. Promotion of mindfulness in psychotherapists in training: preliminary study.
Eur Psychiatry 2007;22:485-489. **IF 1.191**
19. Lahmann C, Loew T, Tritt K, Nickel M. Efficacy of functional relaxation and patient education in the treatment of somatoform heart disorders: a randomized, controlled clinical investigation.
Psychosomatics 2010 **IF 2.115**
20. Pedrosa Gil F, Bidlingmaier M, Ridout N, Scheidt CE, Caton S, Schoechlin C, Nickel M. The Relationship between Alexithymia and Salivary Cortisol Levels in Somatoform Disorders.
Nord J Psychiatry (in press) **IF 0.964**

21. Egger C, Mühlbacher M, Schatz M, Nickel M. Influence of Topiramate on Olanzapine Related Weight Gain in Women: an 18-month follow-up observation.
J Clin Psychopharmacol 2007;27:475-478. **IF 5.145**
22. Loew T, Nickel M. Topiramate treatment of women with borderline personality disorder, part II: An open 18-month follow-up.
J Clin Psychopharmacol 2007 **IF 5.145**
23. Grepmaier L, Mitterlehner F, Nickel M. Promotion of mindfulness in psychotherapists in training.
Psychiatry Res 2008;158:265. **IF 2.310**

Zweitautorenschaften

1. Leiberich P, Nedoschill J, Nickel M, Loew T, Tritt K. Selbsthilfe und Beratung im Internet. Mündige Benutzer können die Arzt-Patienten-Beziehung neu gestalten.
Med Klin 2004;99:263-268. **IF 0.466**
2. Tritt K, Nickel M, Mitterlehner F, Nickel C, Forthuber P, Leiberich P, Rother W, Loew T. Chronic fatigue and indicators of long-term employment disability in psychosomatic patients.
Wien Klin Wschr 2004;116:182-189. **IF 0.646**
3. Tritt K Nickel M, Nickel C, Leiberich P, Mitterlehner F, Lahmann C, Rother W, Loew T. In patient psychiatric-psychotherapeutic treatment of mothers with a Generalized Anxiety Disorder – does the co-admission of their children influence the treatment results?: A randomized, prospective controlled study.
Wien Klin Wochenschr 2004;116:750-754. **IF 0.774**
4. Tritt K, Schneider H, Lahmann C, Joraschky P, Nickel M, Loew T. Therapieempfehlungen an Patienten einer psychosomatischen Poliklinik: Gibt es Zusammenhänge mit der Symptombelastung und werden die Ratschläge befolgt?
Psychother Psych Med 2004;54:289-297. **IF 1.34**
5. Muehlbacher M, Nickel M, Nickel C, Kettler C, Lahmann C, Pedrosa Gil F, Leiberich P, Rother N, Bachler E, Fartacek R, Kaplan P, Tritt K, Rother W, Loew T, Egger C. Mirtazapine treatment of social phobia in women: a randomized,

double-blind, placebo-controlled study.

J Clin Psychopharmacol 2005;25:580-583. **IF 4.013**

6. Nickel C, Harms D, Nickel M, Leiberich P, Mitterlehner F, Tritt K, Rother W, Loew T. Psychosomatic factors in extreme obesity: a cross sectional survey in a random sample of bariatric surgery patients.

Int J Psychiatry Med 2005;35:109-122. **IF 0.714**

7. Tritt K, Schneider H, Bidmon RK, Nickel M, Leiberich P, Joraschky, TH Loew. Certifying sick leave as a factor effecting the course of psychiatric disorders: Do patients with different psychiatric diagnoses require different strategies? – first indications from a prospective study.

Croat Med J 2005;46:308-314. **IF 0.943**

8. Loew T, Nickel M, Kaplan P, Nickel C, Muehlbacher M, Kettler C, Lahmann C, Buschmann W, Tritt K, Leiberich P, Rother W, Egger C. Topiramate treatment of women with borderline personality disorder: a double-blind, placebo-controlled study.

J Clin Psychopharmacol 2006;26:61-66. **IF 5.145**

9. Mühlbacher M, Konstantinidis A, Kasper S, Eichberger G, Hinterhuber H, Hofman P, Nimmerrichter A, Schubert H, Nickel M, Stuppäck C. Intravenous mirtazapine is safe and effective in the treatment of depressed inpatients.

Neuropsychobiology 2006;53:83-87. **IF 1.667**

10. Muehlbacher M, Nickel C, Nickel M, Tritt K, Lahmann C, Leiberich P, Krawczyk J, Kettler C, Mitterlehner F, Rother W, Loew T, Kaplan P. Topiramate in treatment of patients with chronic low back pain: a randomized, double-blind, placebo-controlled study.

Clin J Pain 2006;22:526-531. **IF 2.08**

11. Egger C, Moritz M, Nickel M, Stuppaek C. A review on hyponatremia associated with SSRIs, reboxetine and Venlafaxine.

Int J Psychiatry Clin Pract 2006;10:17-26. **IF 0.5**

12. Mühlbacher M, Egger C, Nickel M, Hitzl W, Stuppäck C. Veränderungen der Verschreibungsgewohnheiten in der medikamentösen Behandlung der bipolaren Erkrankung: Neue Trends in einem klinischen Setting.

Neuropsychiatrie 2008. **IF 1.414**

13. Egger C, Rauscher A, Muehlbacher M, Nickel M, Geretsegger C, Stuppaec C. A case of dose –dependent aripiprazole-induced conduction disturbance.
J Clin Psychopharmacol 2006;26:436. **IF 5.145**
14. Egger C, Muehlbacher M, Nickel M, Geretsegger C, Stuppaec C. A case of recurrent hyponatremia induced by venlafaxine.
J Clin Psychopharmacol 2006;26:439. **IF 5.145**
15. Leiberich P, Nickel M, Tritt K, Pedrosa Gil F. Lamotrigine treatment of aggression in female borderline patients, part II: an 18-month follow-up.
J Psychopharmacol (inpress) **IF 3.255**
16. Pedrosa Gil F, Schwarz M, Müller N, Nickel M, Ridout N, Schmidmaier R. Significant alterations in peripheral blood lymphocyte subsets in patients with Somatoform Disorder.
Acta Neuropsychiatr 2009 **IF 0.435**
17. Lahmann C, Schoen R, Henningsen P, Ronel J, Muehlbacher M, Loew T, Tritt K, Nickel M, Doering S. Brief relaxation versus music distraction in the treatment of dental anxiety.
J Am Dent Assoc 2008;139:317-324 **IF 1.162**
18. Geretsegger C, Nickel M, Judendorfer B, Rochowanski E, Novak E, Aichhorn W. Propofol and methohexital as anesthetic agents for electroconvulsive therapy: a randomized, double-blind comparison of electroconvulsive therapy seizure quality, therapeutic efficacy, and cognitive performance [In Process Citation]
J ECT 2007;23:239-243. **IF 1.667**
19. Pedrosa Gil F, Nickel M, Ridout N, Schwarz MJ, Schoechlin C, Schmidmaier R. Alexythymia and interleukin Variations in somatoform disorder.
Neuroimmunomodul 2007;14:235-242. **IF 1.779**